

# Advantage™

MMF CASH DRAWER



**Advantage Series Cash Drawers** provide an **Advantage** over Versatility, Functionality, Quality and Security concerns.

**Versatility:** Upgradeable Interfaces, USB Hub, Cable Management, Multiple Sizes, Configurable Till

**Functionality:** Large Capacity Media and Coin Roll Storage, Global Till Offers Twice the Capacity of Most Other Tills

**Quality:** Tested to Over 4 Million Cycles, Manufactured to ISO Standards with Precision Tooled Steel

**Loss Prevention:** Locking Drop Safe and High Security Locks



800.769.1954

[mmfcashdrawer.com](http://mmfcashdrawer.com)

## Global Configurable Till \*

The Advantage Series' unique Global Till measures **15.75" W x 12" D x 2.5" H** boasts twice the capacity of most other tills and a modular design which can be configured for all of the following currencies:



U.S. Configuration: 5B/5C  
P/N 226 199USPL1004



Canadian Configuration: 4B/6C  
P/N 226 199CNPL1004



U.K. Configuration: 4B/8C  
P/N 226 199UKPL1004



Euro Configuration: 8B Slant/8C  
P/N 226 199EUSL1004



Euro Split: 4B Slant, 2B Flat/8C  
P/N 226 199EUSP1004



Asian Configuration: 4B/6C  
P/N 226 199ASPL1004

# Standard and Optional Upgrades

**NEW!**

## Security

- One of 3 media slots feeds a 44 cubic inch capacity **Drop Safe** \* with a locking cover to thwart theft. The Drop Safe is **standard** on every drawer with slots and blends in with the inner drawer, effectively hiding it from view.
- The Advantage Cash Drawer's **Standard 3 position 4 function Lock** is available keyed alike or randomly. Master keys are also available.
- **The High Security option** adds an extra measure of protection with 2 keys. The Operator Key can ONLY unlock the cash drawer for electronic use while the Manager Key can also open the cash drawer manually providing an additional level of Loss Prevention protection.
- **The Maximum Security option** provides a 7-Pin, 4-Position Lock that is nearly pick-proof with a heavy-duty cast steel nickel plated shell and tubular key.



## Legacy Till Conversion Kits \*

The Advantage series offers an optional Till Conversion Kit that allows Advantage Cash Drawers to accept most legacy tills. This enables retailers to continue using their existing tills without disruption as they seamlessly integrate the Advantage Cash Drawers into their system.

This ability to continue using legacy tills is just one of the ways the Advantage Cash Drawer adapts to retailer needs and helps to improve their bottom line.



## Ball Bearing Slides

Optional high precision 32 ball bearing slides provide a smooth and full extension for easy entry/exit of the inner drawer.



# Till Accessories



Coin Expansion Cup  
P/N 226 199USCUP204



US Coin Cup  
Set of 5 Cups  
P/N 226 199USCUP104



Euro Coin Cup  
Set of 8 Cups  
P/N 226 199EUCUP104



Removable Coin Tray  
Euro and US configurations

US  
P/N 226 199RMVTR104

Euro  
P/N 226 199RMVTR204



Metal Bill Weights



Steel Locking Till Cover  
P/N 226 199TILCVR04



Global Till Conversion Kit  
P/N 226 199CONV0100

## The Advantage Inner Drawer:

- Locking Drop Safe for added security
- Large Capacity for coin rolls, large bills, media, etc.
- Configurable Compartments
- 3 Slots or No Slots
- Stainless Steel or Painted Front
- Till Conversion Kit
- Standard Roller Suspension System
- Optional Ball Bearing Slides
- 3 Lock Options:
  - Standard
  - High Security
  - Maximum Security Lock



Tear here

# Advantage™

| Factory Prefix | Style                                                  | Body Size (WxDxH)       | Tray Type                                         | Interface                       | Lock Option                                                       | Optionals               | Color            |
|----------------|--------------------------------------------------------|-------------------------|---------------------------------------------------|---------------------------------|-------------------------------------------------------------------|-------------------------|------------------|
| ADV            | 1                                                      |                         |                                                   |                                 |                                                                   |                         |                  |
|                | 11<br>No Slots<br>Stainless Front<br>Roller System     | A1<br>17.4 x 18.7 x 4.6 | 0<br>No Tilt                                      | 0<br>No Electronics             | 0<br>No Lock                                                      | 0<br>No Bell (Standard) | 04<br>Black      |
|                | 12<br>No Slots<br>Painted Front<br>Roller System       | B1<br>18 x 16.7x 4.6    | 1<br>US 5C/5B<br>ABS Bill Weight                  | 3<br>Printer-Driven Upgradeable | 1<br>Standard Security<br>Keyed Random                            | 1<br>Bell               | 89<br>Putty      |
|                | 13<br>Triple Slots<br>Stainless Front<br>Roller System | C1<br>18.8 x 20 x 4.6   | 2<br>US 5C/5B<br>Metal Bill Weight                | 4<br>Multi-Serial Upgradeable   | 2<br>Standard Security<br>Keyed Alike                             |                         | E5<br>Cool White |
|                | 14<br>Triple Slots<br>Painted Front<br>Roller System   | C2<br>18.8 x 21x 4.6    | 3<br>CANADA (6C/4B)<br>ABS Bill Weight            | 5<br>Std. Serial Upgradeable    | 3<br>High Security<br>One (1) Operator Key<br>One (1) Manager Key |                         |                  |
|                | 31<br>No Slots<br>Stainless Front<br>Slides System     | D1<br>20 x 21 x 4.6     | 4<br>CANADA (6C/4B)<br>Metal Bill Weight          | 8<br>USB Upgradeable            | 4<br>Maximum Security<br>Double Bit Key                           |                         |                  |
|                | 32<br>No Slots<br>Painted Front<br>Slides System       |                         | 5<br>UK (8C/4B)<br>ABS Bill Weight                | 9<br>USB w/HUB Upgradeable      |                                                                   |                         |                  |
|                | 33<br>Triple Slots<br>Stainless Front<br>Slides System |                         | 6<br>UK (8C/4B)<br>Metal Bill Weight              |                                 |                                                                   |                         |                  |
|                | 34<br>Triple Slots<br>Painted Front<br>Slides System   |                         | 7<br>EURO SLANT(8C/8B)                            |                                 |                                                                   |                         |                  |
|                |                                                        |                         | 8<br>EURO SPLIT (6C/4B)<br>ABS Bill Weight (ONLY) |                                 |                                                                   |                         |                  |

You can configure Advantage Series part numbers on-line at [www.mmfcashdrawer.com](http://www.mmfcashdrawer.com). Call 800 769 1954 for more info.

\*Roller Suspension System (Standard)  
\*Printer Driven Upgradeable Interface Feature  
Requires a Kwikk Kable (sold Separately)

# Accessories

## TILLS

| Part Number    | Description                                  |
|----------------|----------------------------------------------|
| 226199USPL1004 | US Till (5C/5B) - ABS Bill Weight            |
| 226199CNPL1004 | CAN Till (6C/4B) - ABS Bill Weight           |
| 226199EUSL1004 | EURO SLANT Till (8C/8Slant)                  |
| 226199EUSP1004 | EURO SPLIT Till (8C/2-Flat/4-Slant) ABS Bill |
| 226199ASPL1004 | ASIAN Till (6C/4B) - ABS Bill Weight         |
| 226199UKPL1004 | UK Till (8C/4B) - ABS Bill Weight            |
| 226199TILCVR04 | GLOBAL TILL COVER                            |
| 226199USMT1004 | US Till (5C/5B) - Metal Bill Weight          |
| 226199CNMT1004 | CAN Till (6C/4B) - Metal Bill Weight         |
| 226199ASMT1004 | ASIAN Till (6C/4B) - Metal Bill Weight       |
| 226199UKMT1004 | UK Till (8C/5B) - Metal Bill Weight          |

## CUPS

| Part Number    | Description                        |
|----------------|------------------------------------|
| 226199USCUP104 | SINGLE US COIN CUP KIT (QTY:5/KIT) |
| 226199USCUP204 | DUAL US COIN CUP KIT (QTY: 1/KIT)  |
| 226199EUCUP104 | EURO COIN CUP KIT (QTY: 8/KIT)     |
| 226199RMVTR104 | REMOVABLE US COIN TRAY             |
| 226199RMVTR204 | REMOVABLE EURO COIN TRAY           |

## MISC

| Part Number    | Description                           |
|----------------|---------------------------------------|
| 226199UCBK1004 | UNDER COUNTER BRACKET KIT (QTY:2/KIT) |
| 226199ERCV1004 | EMERGENCY RELEASE COVER               |
| 226199RSTU04   | PAN DIVIDER KIT                       |
| 226199PWRS1000 | POWER STRIP                           |
| 226199MTBW1004 | METAL BILL WEIGHT WITH SPRING (QTY:1) |
| 226199CONV0100 | TILL CONVERSION KIT                   |
| 226199SCRC1004 | SECURITY COMPARTMENT COVER KIT        |



# System Solutions

The Advantage Series provides a family of rugged platforms to organize and secure POS peripherals. These versatile platforms provide ample cable management and an ergonomic design for a professional look.



## Upgradeable Interfaces

The Advantage's Upgradeable Interfaces reduce cost of ownership and extend the life of your cash drawer. Upgradeable Interfaces allow you to change the connectivity of the cash drawer as needed to meet your evolving POS requirements.



**NEW**

USB with Statistics and Serial Emulation \*  
P/N 226 1998USBA-XX



**NEW**

USB with Statistics and 4 Port USB Hub Combo \*  
P/N 226 199USBHUB-XX



Printer-Driven  
for all POS Printers  
P/N 2261993PRNT1-XX



Multi-Serial Programmable for added Security  
Includes Statistics & 2 Drawer Open/Close Detection  
P/N 226 1994SERA1-XX



Standard Serial  
P/N 226 1995SERA1-XX

XX = 04 Black, 89 Putty, E5 Cool White



WEPOS Certified



ISO 9001: 2000




# Specifications

Dimensions & Weights:



Cash Drawer Colors:



**ADV-B1**

18"W x 16.7"D x 4.6"H  
45.72W x 42.42D x 11.68H cm  
18.5 lbs/8.39 kg

**ADV-A1**

17.4"W x 18.7"D x 4.6"H  
44.2W x 47.5D x 11.68H cm  
19.8 lbs/8.98 kg

**ADV-C1**

18.8"W x 20"D x 4.6"H  
47.75W x 50.82D x 11.68H cm  
23 lbs/10.43 kg

**ADV-C2**

18.8"W x 21"D x 4.6"H  
47.75W x 53.34D x 11.68H cm  
24 lbs/10.89 kg

**ADV-D1**

20"W x 21"D x 4.6"H  
50.8W x 53.34D x 11.68H cm  
25.5 lbs/11.57 kg

|                                |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Construction:                  | 18-20 Gauge Steel, Modular Construction                                                                                                                                                                                                                                                                                                          |
| Rails:                         | Roller Suspension System (Standard)                                                                                                                                                                                                                                                                                                              |
| Finish:                        | Scratch Resistant Texture Powder Coat                                                                                                                                                                                                                                                                                                            |
| Drawer Front:                  | Texture Powder Coat or Stainless Steel; 3 Slots or No Slots                                                                                                                                                                                                                                                                                      |
| Configurable Global Till*:     | Hardened Acetal<br>Standard US 5B/5C <b>P/N 226 199USPL1004</b><br>Canadian 4B/6C <b>P/N 226 199CNPL1004</b><br>Euro 4B Slant, 2B Flat/8C <b>P/N 226 199EUSPL1004</b><br>Euro 8B Slant/8C <b>P/N 226 199EUSL1004</b><br>UK 4B/8C <b>P/N 226 199UKPL1004</b><br>Asian 4B/6C <b>P/N 226 199ASPL1004</b>                                            |
| Lock Options:                  | Standard: 3 Position, 4 Function<br>Option 1: High Security with Operator and Manager keys<br>Option 2: Maximum Security 7 Pin, 4 Position, cast steel with Tubular Key                                                                                                                                                                          |
| Upgradeable Interface Options: | 1. Printer-Driven (requires Kwick Kable sold separately)<br>2. <b>NEW</b> USB with Statistics and Serial Emulation*<br>3. <b>NEW</b> USB with Statistics and 4 Port Hub Combo*<br>4. Multi-Serial Programmable for Added Security (includes Statistics & 2 Drawer Open/Close Detection)<br>5. Standard Serial                                    |
| Life Cycle:                    | Over 4 Million Cycles                                                                                                                                                                                                                                                                                                                            |
| Warranty:                      | 3 Years Standard; Optional 2 Additional Years                                                                                                                                                                                                                                                                                                    |
| Options:                       | Under Counter Mounting Brackets<br>Peripheral Platform (Selected Drawers)<br>Integrated Power Strip with Cable Management Area<br>Locking Till Cover<br>Bell<br>Coin Cups<br>Removable Coin Tray<br>High Security Lock<br>Maximum Security Lock<br>Metal Bill Weights*<br>Emergency Release Cover<br>Till Conversion Kit*<br>Ball Bearing Slides |

\* Patents Pending